

Human Salmonella Serotypes, June 2003

Serotype	Health Districts																								Total
	NL	NW	CA*	SA	WK	TG	BE	GS	RO	TP	RU	HB	TK	WG	MW	WR	WN	HU	NM	WC	CB	SC	OT	SO	
Birkenhead (U)											1														1
Brandenburg (B)																					1 ^R				1
Eastbourne			1																						1
Enteritidis phage type	4											1													1
	9a	1									1			1			2	1					1		7
Hadar			1 ^R																						1
Heidelberg		1																							1
Infantis		2	2	1																					5
Kentucky (U)		1	1																						2
Mississippi																					1				1
Montevideo		1	1		2						1						1								6
Ohio (U)			1																						1
Oranienburg			1																						1
Paratyphi B var Java						1																			1
Reading (U)			1																						1
Saintpaul																		1 ^R							1
Senftenberg		1 ^R																							1
Typhimurium phage type	1	1	1	1								1		1			1								6
	12a			1																					1
	23			1										1							1				3
	42													1											1
	101	1	1																			2			4
	135				1									3			1						2		7
	156				1							3		1							1				6
	160	1	3	1	2			1			1						2								11
RDNC Aug-01		1												1				1			3				6
Weltevreden			1																						1
Weltevreden 15+				1																					1
TOTAL	2	13	12	7	4	1	1	0	0	0	1	4	4	0	9	0	8	2	0	0	9	0	3	0	80

* Includes where precise Auckland district is not known

S. Typhimurium 45
Others 35

R Recent overseas travel.

(B) Isolated from blood.

(U) Uncommon serotype in New Zealand.