

Human Salmonella Serotypes, June 2006

Serotype	Health Districts																			Total				
	NL	NW	CA*	SA	WK	TG	BE	GS	RO	TP	RU	HB	TK	WG	MW	WR	WN	HU	NM		WC	CB	SC	OT
Agona		1															1 <sup>R</sup>				1			3
Bovismorbificans			1 <sup>I</sup>														1							2
Brandenburg				1																			1	2
Corvallis			1																					1
Enteritidis phage type 9a																					1			1
Heidelberg				1																				1
Hindmarsh							1																	1
Hvittingfoss																					1			1
Infantis																							1	1
Javiana																					1 <sup>R</sup>			1
Mbandaka		1			1	2																		4
Mikawasima C		1 <sup>R</sup>																						1
Montevideo		1																						1
Newport				1																				1
Oranienburg			1 <sup>R</sup>																					1
Paratyphi B var Java								1																1
Pensacola																		1						1
Saintpaul				1						1														2
Stanley																							1	1
Thompson		1															1							2
Typhi <i>t</i>	1			1																				2
Typhimurium phage type 1											2											1		3
12a																		1			1	3		5
26															1									1
42		1			1																	1		3
74																			1					1
101																		1			1			2
156	1				1													1						3
160			1												1		3				1		2	8
RDNC		2	1																					3
Weltevreden				1																				1
Weltevreden 15+			1																					1
Group B 4,5,12 : d : -			1	1																				2
Total	2	8	7	7	3	2	1	0	1	1	0	2	0	0	2	0	6	2	3	0	9	3	5	64

\* Includes where precise Auckland district is not known

S. Typhimurium 29  
Others 35

- C Uncommon serotype
- I Incoming overseas visitor
- R Recent overseas travel

Household cluster: two isolates STM phage type 12a, SC  
One isolate STM phage type 160, OT, isolated from urine.

*t* M/12 NL phage type E7 variant. Recent travel India.  
M/43 SA phage type E1a. Recent travel India.