

Human *Salmonella* serotypes, December 2009

| Serotype | Health District | | | | | | | | | | | | | | | | | | | | Total | | | | |
|--------------------------------|-----------------|----|----------------|----|----------------|----------------|----|----|----|----|----|----|----|----|----|----|----------------|----|----|----|----------------|----|----------------|----|----|
| | NL | NW | CA* | SA | WK | TG | GS | BE | RO | TP | RU | HB | TK | WG | MW | WR | WN | HU | NM | WC | | CB | SC | OT | SO |
| Agona | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | 2 |
| Brandenburg | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 |
| Enteritidis phage type 6a | | | 1 | | | | | | | | | | | | | | 1 ^R | | | | 2 | | | | 4 |
| 9a | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 |
| 21 | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 |
| Hadar | | | | | | | | | | | | | | | | | | | | | 1 ^R | | | | 1 |
| Infantis | | | 1 | 1 | | | | | | | | | | | | | | | | | 1 | 7 | 2 | | 12 |
| Javiana | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 |
| Kisangani F | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Mbandaka | | | 1 | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mississippi | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| Montevideo | | | 1 | | | | | | | | | | | | | | | | | | 1 | | | | 2 |
| Muenchen C | | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oranienburg | | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 |
| Paratyphi B var Java | | | 1 ^R | | | | | | | | | | | | | | | | | | | | | | 1 |
| Saintpaul | | | | | | | | | | | | 1 | | | | | | | | | | | | 1 | 2 |
| Stanley | | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Typhi T | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| Typhimurium phage type 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| 9 | | | | | 1 ^R | | | | | | | 1 | | | | | | | | | | | | | 2 |
| 12a | | | | 2 | 1 | | | | | | | | | | | | | | | | | | | | 3 |
| 12a variant 09 | | | | | | | | | | | | | 1 | | | | | | | | | | | | 1 |
| 40 | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 |
| 41 | | | 1 ^U | | | | | | | | | | | | | | | | | | | | | | 1 |
| 42 | | | | | | | | | | 1 | | | | | | | | | | | | | | | 1 |
| 101 | | | | | 1 | | | | | | | | | | | | | | 1 | | 1 | | | | 3 |
| 120 | | | | | | | | | | | | 1 | | | | | | | | | | | | | 1 |
| 156 | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | 2 |
| 160 | | | | | | 1 | | | | | | | | | 1 | 1 | | 1 | | 2 | 1 | | | 1 | 8 |
| 195 | | | | | | | | | | | | | | | | 1 | | | 1 | | | | | | 2 |
| RDNC | | | 1 | | 1 | | | | | | | | | | | | | | | | | | | | 2 |
| RDNC-May 06 | | | | | 2 | | | | 1 | | | 1 | 1 | | | | | | | | 1 | | | | 6 |
| Virchow | | 1 | | 1 | | 1 ^R | | | | | | | | | | | | | | | | 1 | | | 4 |
| Weltevreden | | | | 2 | | | | | | | | | | | | | | | | | | | | | 2 |
| Group B subsp. I 4,5,12 : i :- | | 1 | | | | | | | | | | | | | | | 1 | | | | | | 1 ^R | | 3 |
| Total | 0 | 4 | 8 | 7 | 10 | 2 | 0 | 0 | 1 | 1 | 0 | 3 | 3 | 0 | 1 | 2 | 5 | 0 | 4 | 1 | 11 | 9 | 4 | 3 | 79 |

*Include where Auckland health district is unknown

- C Uncommon serotype or phage type.
- F First human isolate in New Zealand.
- R Recent overseas travel.
- U Urine culture isolate.

Salmonella Typhimurium 35
Other serotypes 44

T M/7Y CB phage type E1a. Recent overseas travel to Samoa.