

Salmonella Serotypes - Non-human Isolates, January-March 2006

| Serotype | Animal | | | | | | | | | | | Poultry | | | | | Sp NZFSA ⁿ | Total | | | | | |
|---------------------------------|--------|-------|--------|--------|--------|--------|----------|-------|---------|---------|-----------|---------|----------------|---------------|--------|---------------|-----------------------|-------|----------|------|---------------|---------------------------------|-----|
| | Alpaca | Avian | Bovine | Canine | Equine | Feline | Hedgehog | Ovine | Porcine | Reptile | Shellfish | Spice | Meat/bone meal | Environmental | Food * | Not Specified | | | Neckflap | Feed | Environmental | Miscellaneous including product | |
| Aberdeen | | | | | | | | | | | | | | | | | | | | | 4 | 4 | |
| Abony | | | | | 1 | | | | | | | | | | | | | | | | | 1 | 1 |
| Agona | | | | | | | | | | | | | | | 1 | | | | 7 | 1 | | 9 | 9 |
| Albany | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Amsterdam | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 |
| Anatum | | | | | | | | | | | | 3 | | | | | | | | 1 | | 4 | 4 |
| Anatum 15+ | | | | | | | | | | | | 2 | | | | | | 8 | 1 | 1 | | 12 | 12 |
| Brandenburg | | | | 1 | 1 | | | | | | | 1 | | 2 | | | 2 | | 2 | 3 | | 12 | 12 |
| Cerro | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 |
| Colindale | | | | | | | | | | | | | | | 1 | | | | | | | 1 | 1 |
| Derby | | | | | | | | | | | | 3 | | | | | | 1 | | | | 4 | 4 |
| Enteritidis phage type 9a | | | | 1 | | | 2 | | | | | | | | | | | | | | 1 | 4 | 4 |
| Give | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 |
| Give 15+ | | | | | | | | | | | | | | | | | 1 | | | | | 1 | 1 |
| Hadar | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Havana | | | | | | | | | | | | 1 | | | | | 1 | | | | | 2 | 4 |
| Hindmarsh | | | 1 | | | | 63 | 1 | | | | | | | | | 1 | 1 | | | | 67 | 67 |
| Infantis | | | | | | | | | | | | 12 | 3 | 1 | 2 | 1 | | 5 | | | 9 | 33 | 33 |
| Kentucky | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 |
| Kiambu | | | | | | | | | | | | 3 | | | | | | | | | | 3 | 3 |
| Lexington | | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 |
| London | | | | | | | | | | | | | | | | | | 3 | | | | 2 | 5 |
| Mbandaka | | | | | | | | | | | | | | | | | 1 | | | | 1 | 2 | 2 |
| Montevideo | | | | | | | | | | | | 1 | | | | | | | | | | 2 | 3 |
| Ohio | | | | | | | | | | | | | | | | | | | | | | 2 | 2 |
| Oranienburg | | | | | | | | | | | | | | | | | | 2 | | | | 2 | 2 |
| Orion 15+ | | | | | | | | | | | | 1 | | | | | | | | | | 2 | 3 |
| Ruiru | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Saintpaul | | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 |
| Senftenberg | | | 1 | | | | | | | | | | | | 1 | | | | 1 | | 1 | 4 | 4 |
| Stanley | | | | | | | | | | | | | | | 1 | | | | | | | 1 | 1 |
| Tennessee | | | | | | | | | | | | | | | | | 1 | 2 | 1 | | | 4 | 4 |
| Thompson | | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 |
| Typhimurium phage type | 1 | 1 | | 1 | 1 | | | | | | | | | | | | | | 5 | | 1 | 10 | 10 |
| 8 | | | | | | | | 2 | | | | | | | | | | | | | | 2 | 2 |
| 9 | | | | | 2 | | | 2 | | | | | | | | | | | | | | 4 | 4 |
| 12a | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 |
| 42 | | | 1 | | | | | | | | | | | | | | | | 1 | | | 4 | 6 |
| 74 | | | | | 1 | | | | | | | | | | | | | | 1 | 2 | | 4 | 4 |
| 101 | 1 | | 1 | | | | | | | | | | | | | | 1 | 23 | 43 | 4 | | 73 | 73 |
| 135 | | | | | 1 | | | 2 | | | | | | | | | | | | | | 3 | 3 |
| 156 | | | | | | | | | | | | | | | | | | 1 | | 1 | 2 | 4 | 4 |
| 160 | | 6 | 1 | 1 | 4 | 2 | | | | | 1 | | 3 | 1 | | | 3 | 1 | 1 | | | 24 | 24 |
| 195 | | 5 | | | | | | | | | | | | | | | | | | | | 5 | 5 |
| RDNC | | 1 | | | | | | | | | | | | | | 1 | | | 1 | | | 2 | 5 |
| Virchow | | | | | | | | | | | | | | | | 1 | | | | | | 1 | 1 |
| Group B 4,12 :-: - (non-motile) | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Group B 4,12 :-: 1,2 | | | | | | | | 2 | | | | | | | | | | | | | | 2 | 2 |
| Group P 38 :-: 1,5 | | | | | | | | | 1 | | | | | | | | | | | | | 1 | 1 |
| Group R 40 : g : - ^p | | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 |
| Group 54 : f,g : - ^p | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Total | 2 | 12 | 7 | 4 | 11 | 2 | 2 | 69 | 3 | 1 | 3 | 1 | 28 | 9 | 4 | 8 | 1 | 26 | 51 | 55 | 44 | 343 | 343 |

* Includes casings and animal carcasses from meat works

ⁿ These isolates are from NZFSA special projects

^p These isolates have been referred to the Pasteur Institute, Paris

S. Typhimurium 141
 Other serotypes 202
 Poultry isolates 133
 Animal isolates 113