

Yersinia isolates confirmed by ERL in 2020

Yersinia	DHB																			Total	
	Auckland	Bay of Plenty	Canterbury	Capital and Coast	Combined Auckland	Combined Wellington	Counties Manukau	Hawkes Bay	Lakes	MidCentral	Nelson Marlborough	Northland	South Canterbury	Southern	Tairāhiti	Taranaki	Waikato	Wairarapa	Waitemata		West Coast
enterocolitica			1		1						1										2
enterocolitica biotype 1A					1																1
enterocolitica biotype 1A not serotypes O:3, O:5, O:8, O:9	4	5	26		27	22	5	4	3	1	11	3		10			6	1	2	1	131
enterocolitica biotype 1A serotype O:5	4		10		4	4	1	3		1	3	1		5		1					38
enterocolitica biotype 1A serotype O:8	4		4		10	7				2		1		9			2				39
enterocolitica biotype 1A serotype ORough					2			1									2				5
enterocolitica biotype 2/3	1																				1
enterocolitica biotype 2/3 serotype O:5,27	2	1	10		13	3				1	3	3	1	2			1				40
enterocolitica biotype 2/3 serotype O:9	15	26	61		179	65	10	17	8	19	9	5	2	38	3	6	27	1	5	1	486
enterocolitica biotype 4 serotype O:3	2		14	1	58	19	3	6	1	3	4	2	2	6	1		10	1	3		136
pseudotuberculosis			6		3					1				1		1			1		13
Total	32	32	132	1	294	123	19	31	12	28	30	15	5	71	4	8	48	3	11	3	902