


Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	87	83	79	80	97	79	79	71
Gonorrhoea	15	19	16	14	17	10	11	7
Genital herpes (first presentation)	10	3	5	5	15	9	3	10
Genital warts (first presentation)	14	12	5	4	9	16	7	17
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	409	393	388	361	423	403	419	374
Gonorrhoea	81	79	98	55	76	101	92	77
Genital herpes (first presentation)	59	41	61	46	57	49	63	50
Genital warts (first presentation)	213	196	219	179	183	158	182	161
Infectious syphilis	11	4	11	7	11	7	14	14
Non-specific urethritis	80	73	65	83	93	91	79	91

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	159	133	117	124	122	140	127	125
Gonorrhoea	20	19	20	16	16	21	25	20
Genital herpes (first presentation)	18	22	24	17	18	31	21	21
Genital warts (first presentation)	68	61	74	52	54	50	46	39
Infectious syphilis	1	0	1	1	0	2	3	1
Non-specific urethritis	11	17	18	12	9	16	16	17

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	53	56	76	64	59	62	34	42
Gonorrhoea	3	8	4	8	6	12	2	3
Genital herpes (first presentation)	1	4	9	4	2	10	5	1
Genital warts (first presentation)	18	10	15	10	3	9	10	8
Infectious syphilis	0	1	0	0	0	1	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	188	145	165	179	150	159	191	169
Gonorrhoea	6	15	10	14	23	25	30	9
Genital herpes (first presentation)	22	31	21	13	9	21	21	22
Genital warts (first presentation)	48	39	37	49	40	43	53	41
Infectious syphilis	0	0	3	0	0	2	2	0
Non-specific urethritis	15	12	13	13	4	9	12	18

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	55	59	43	49	45	36	52	44
Gonorrhoea	16	14	5	9	7	10	6	6
Genital herpes (first presentation)	0	0	0	0	0	0	0	0
Genital warts (first presentation)	0	0	0	0	0	0	0	0
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: Clinic was closed for 3 weeks during Quarter 1 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	31	32	38	43	27	35	29	33
Gonorrhoea	6	1	0	2	1	2	0	0
Genital herpes (first presentation)	7	17	18	15	7	6	8	17
Genital warts (first presentation)	18	19	14	21	18	14	18	13
Infectious syphilis	1	0	0	0	0	0	0	0
Non-specific urethritis	7	4	6	10	16	10	17	18

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: From Quarter 2 2012, Hawke's Bay are reporting only cases seen in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included.

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	56	1	9	13	24	25	30	26
Gonorrhoea	14	0	0	10	21	3	5	3
Genital herpes (first presentation)	1	2	3	1	5	11	10	10
Genital warts (first presentation)	9	14	9	10	18	14	16	15
Infectious syphilis	0	0	0	0	2	0	0	0
Non-specific urethritis	0	0	0	0	0	1	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	7	4	13	10	14	9	12	11
Gonorrhoea	1	0	1	1	2	0	1	2
Genital herpes (first presentation)	1	1	2	1	2	2	3	1
Genital warts (first presentation)	1	1	1	2	1	0	2	3
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	53	36	42	52	43	51	39	36
Gonorrhoea	8	10	8	2	4	3	5	5
Genital herpes (first presentation)	7	7	9	18	9	5	8	7
Genital warts (first presentation)	18	13	11	16	16	12	14	12
Infectious syphilis	1	0	0	1	1	1	0	0
Non-specific urethritis	6	6	4	4	4	4	3	2

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	9	2	1	2	6	3	4	2
Gonorrhoea	2	1	0	0	1	0	0	0
Genital herpes (first presentation)	0	0	0	0	4	2	0	3
Genital warts (first presentation)	5	4	8	10	7	2	11	5
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	2	2	0	1	1	4	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	67	38	56	66	75	77	70	56
Gonorrhoea	15	8	12	12	11	10	14	10
Genital herpes (first presentation)	14	14	19	18	18	19	15	13
Genital warts (first presentation)	57	57	62	54	31	44	35	34
Infectious syphilis	2	3	2	0	1	0	2	2
Non-specific urethritis	19	19	19	26	32	26	25	16

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	21	20	17	16	10	18	13	24
Gonorrhoea	6	1	2	2	4	1	3	2
Genital herpes (first presentation)	9	17	14	8	5	9	13	13
Genital warts (first presentation)	30	27	16	25	22	17	23	19
Infectious syphilis	0	0	0	1	0	1	0	0
Non-specific urethritis	1	3	5	4	1	7	2	8

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	15	17	13	9	9	11	10	10
Gonorrhoea	0	1	0	1	1	3	0	0
Genital herpes (first presentation)	3	4	5	6	1	3	2	2
Genital warts (first presentation)	2	6	9	3	4	4	6	4
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	2	0	1	0	0	0	1	3

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: Data was not received from the Ashburton SHC for January 2012 and 2013. This clinic sees only a small number of STI cases each month; in 2011, an average of 2.3 STI cases were seen each month.

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	56	57	84	79	98	106	97	92
Gonorrhoea	7	11	15	18	19	20	14	16
Genital herpes (first presentation)	27	18	25	27	28	39	31	30
Genital warts (first presentation)	58	58	56	40	39	47	37	38
Infectious syphilis	9	9	10	0	6	1	6	2
Non-specific urethritis	24	14	17	23	20	18	18	30

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	9	4	6	9	5	8	8	7
Gonorrhoea	0	0	2	0	0	0	1	0
Genital herpes (first presentation)	4	4	1	4	3	1	0	2
Genital warts (first presentation)	4	2	1	4	0	5	2	2
Infectious syphilis	0	0	1	0	0	0	0	0
Non-specific urethritis	0	1	3	0	0	1	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	60	65	54	47	49	70	62	41
Gonorrhoea	3	7	11	4	6	3	2	10
Genital herpes (first presentation)	14	10	19	20	20	11	9	10
Genital warts (first presentation)	35	25	30	41	26	28	26	21
Infectious syphilis	0	0	0	0	0	0	1	2
Non-specific urethritis	2	3	3	0	0	2	5	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2013

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Note: Data was not received from the Ashburton SHC for January 2012 and 2013. This clinic sees only a small number of STI cases each month; in 2011, an average of 2.3 STI cases were seen each month. From Quarter 2 2012, Hawke's Bay are reporting only cases seen in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included. Taranaki closed for 3 weeks during Quarter 1 2013.

Quarterly case counts in participating SHCs by disease, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Chlamydia	1335	1145	1201	1203	1256	1292	1276	1163
Gonorrhoea	203	194	204	168	215	224	211	170
Genital herpes (first presentation)	197	195	235	203	203	228	212	212
Genital warts (first presentation)	598	544	567	520	471	463	488	432
Infectious syphilis	25	17	28	10	21	15	28	21
Non-specific urethritis	167	154	156	175	180	186	182	203