

INFLUENZA WEEKLY UPDATE

2013/41: 6–13 October 2013

The national influenza surveillance system in New Zealand is an essential public health component for assessing and implementing strategies to control influenza. This report summarises the data collected from sentinel general practice (GP) surveillance and non-sentinel surveillance for week 41 (6–13 October 2013).


Summary

- Influenza-like illness (ILI) through sentinel surveillance was reported from 18 out of 20 District Health Boards (DHB) with a national consultation rate of 20.6 per 100 000 (75 ILI consultations).
- A total of 291 swabs were received from sentinel (19) and non-sentinel (272) surveillance.
- 112 influenza viruses were identified: B (48), A (not sub-typed) (31), A(H3N2) (21) including two A/Victoria/361/2011 (H3N2), and A(H1N1) pdm09 (12).

INFLUENZA-LIKE ILLNESS SURVEILLANCE

In the past week, a total of 75 consultations for influenza-like illness were reported from 68 general practices in 18 out of 20 DHBs. This gives a weekly consultation rate of 20.6 per 100 000 patient population. Figure 1 shows the weekly national consultation rates for the 2011 and 2012 seasons, and 2013 so far. The current rate of influenza-like illness is below the baseline level.


Figure 1. Weekly consultation rates for influenza-like illness in New Zealand, 2011, 2012 and 2013



* A weekly rate <50 ILI consultations per 100 000 patient population is considered baseline activity. A rate of 50–249 is considered indicative of normal seasonal influenza activity, and a rate of 250–399 indicative of higher than expected influenza activity. A rate >400 ILI consultations per 100 000 patient population indicates an epidemic level of influenza activity.

Figure 2 compares the consultation rates for influenza-like illness for each DHB over the past week. South Canterbury DHB had the highest consultation rate (57.9 per 100 000, 4 cases), followed by Waitemata (44.8 per 100 000, 6 cases), and Canterbury (39.5 per 100 000, 28 cases) DHBs.


Figure 2. Weekly consultation rates for influenza-like illness by DHB for week 41 (6–13 October 2013)



[] Not participating in the influenza sentinel surveillance.

Note: Auckland (AK) and Counties Manukau (CM) DHBs follow the Southern Hemisphere Influenza and Vaccine Effectiveness Research and Surveillance (SHIVERS) case definition which is different from this sentinel surveillance. Based on the SHIVERS weekly report, the ILI incidence for Auckland and Counties Manukau DHBs for week 41 were 79.9 per 100 000 and 13.7 per 100 000 patient populations, respectively. For more details, please refer to the website: <http://www.esr.cri.nz/competencies/shivers/Pages/SHIVERSReports.aspx>

Figure 3. Consultation rates for influenza-like illness mapped by DHB for week 41 (6–13 October 2013)



VIROLOGICAL SURVEILLANCE

A total of 19 swabs were received by virology laboratories from sentinel surveillance in week 41. From these 12 viruses were identified (Figure 4): B (lineage not determined) (8), A(H1N1)pdm09 (2), A (not sub-typed) (1), and A(H3N2) (1). The distribution by DHB is shown in Table 1.

Figure 4. Total influenza viruses from sentinel surveillance by type and week reported, weeks 18–41 (29 April–13 October 2013)




Table 1. Influenza viruses from sentinel surveillance by DHB for week 41 (6–13 October 2013)

Influenza type/sub-typed	DHB					Total
	TK	WG	NM	CB	SN	
A (not sub-typed)			1			1
A(H1N1)pdm09	1			1		2
A(H3N2)					1	1
B (lineage not determined)	1	1	1	1	4	8
Total	2	1	2	2	5	12

In addition, 272 swabs were received by virology laboratories from non-sentinel surveillance in week 41. From these, 100 influenza viruses were identified (Figure 5): B (lineage not determined) (40), A (not sub-typed) (30), A(H3N2) (18), A(H1N1)pdm09 (10), and A/Victoria/361/2011 (H3N2) (2). The distribution by DHB is shown in Table 2.

Figure 5. Total influenza viruses from non-sentinel surveillance by type and week reported for weeks 18–41 (29 April–13 October 2013)





Table 2. Influenza viruses from non-sentinel surveillance by DHB for week 41 (6–13 October 2013)

Influenza type/sub-typed	DHB									Total
	WM	AK	CM	WK	BP	CC	NM	CB	SN	
A (not sub-typed)		22		1		7				30
A(H1N1)pdm09		2						8		10
A(H3N2)	1	12	3				1	1		18
A/Victoria/361/2011 (H3N2)					2					2
B (lineage not determined)		22		3		4		9	2	40
Total	1	58	3	4	2	11	1	18	2	100

Figure 6 shows the cumulative total of influenza viruses confirmed (sentinel and non-sentinel surveillance) from week 1 to the end of week 41 (13 October 2013). A total of 2048 influenza viruses were identified: B (854) including 197 B/Wisconsin/1/2010-like and five B/Brisbane/60/2008-like viruses, A(H3N2) (563) including 170 A/Victoria/361/2011 (H3N2)-like viruses, A (not sub-typed) (424), and A(H1N1)pdm09 (207) including 46 A/California/7/2009 (H1N1)-like viruses.

Figure 6. Cumulative laboratory-confirmed viruses by DHB for weeks 1–41 (1 January–13 October 2013)



The 2013 southern hemisphere influenza vaccine has the following composition: A/California/7/2009(H1N1)-like, A/Victoria/361/2011(H3N2)-like and B/Wisconsin/1/2010-like strains.

*Note: A/California/7/2009 is an influenza A(H1N1)pdm09 strain.

Antiviral susceptibility monitoring, WHO National Influenza Centre, Institute of Environmental Science and Research (ESR)

From 1 January–15 October 2013, antiviral susceptibility were tested for 506 influenza viruses: (50 A(H1N1)pdm09, 208 A(H3N2) and 248 influenza B) were tested for the neuraminidase inhibitor oseltamivir (Tamiflu) and none of them showed resistance to oseltamivir. In addition, 515 influenza viruses (51 A(H1N1)pdm09, 214 A(H3N2) and 250 influenza B) for the neuraminidase inhibitor zanamivir (Relenza) and none of them showed resistance to zanamivir.

Compiled by:
Liza Lopez
 Health Intelligence Team
 ESR Kenepuru Science Centre
 PO Box 50 348, Porirua
 T: 04 914 0647 F: 04 978 6690 E: liza.lopez@esr.cri.nz

Dr. Sue Huang
 WHO National Influenza Centre
 ESR Wallaceville Science Centre
 PO Box 40158, Upper Hutt